## IN THE CLAIMS

Claims 1, 13, 14, 18-26, 33, 34-53, 55-64, and 66 are amended. No claims are added or canceled

All pending claims are produced below. In addition, the status of each is also indicated below and appropriately noted as "Original", "Currently Amended", "Canceled", "New", "Withdrawn", "Previously Presented", and "Not Entered" as requested by the Office.

 (Currently Amended) A method of processing instant messenger events <u>associated with</u> an instant messenger application, comprising:

determining a <u>length of time period</u> of inactivity <u>of a user</u> after which to compile an instant messenger event <u>associated with the user</u>, <u>the determined length of time being specific to an identity of the user</u> the determination based at least in part on an identity of a user;

responsive at least in part to expiration of the determined <u>length of time period</u> of inactivity, capturing an instant messenger event associated with the user by compiling event data associated with at least one instant messenger message;

indexing at least some of the event data associated with the instant messenger message.

- (Previously Presented) The method of claim 1, further comprising: associating the instant messenger event with a conversation; receiving a search query; and identifying the conversation as relevant to the search query.
- (Previously Presented) The method of claim 1, wherein the event data comprises one or more of sender data, recipient data, a time associated with the event, a date associated with the event, and content from the instant messenger message.
- (Original) The method of claim 3, wherein indexing at least some of the event data comprises associating an event ID with the event and associating the event ID with at least some

of the event data.

- (Original) The method of claim 1, wherein the instant messenger event is captured on a client device.
- (Original) The method of claim 1, wherein the instant messenger event is captured on a network device.
- (Currently Amended) The method of claim 1, wherein capturing an instant messenger event comprises:

identifying an activity associated with the [[an]] instant messenger application on a client device:

identifying the instant messenger event based on the activity; and compiling the instant messenger event from at least some of the event data.

- (Previously Presented) The method of claim 7, wherein compiling the instant messenger event is performed upon the sending or receipt of the instant messenger message using the instant messaging application.
- 9. (Canceled)
- 10. (Canceled)
- 11. (Canceled)
- 12. (Previously Presented) The method of claim 2, further comprising:

  determining if an existing conversation relevant to the instant messenger event exists;

  associating the instant messenger event with an existing conversation if the existing

  conversation is determined to be relevant to the instant messenger event; and

associating the instant messenger event with a new conversation if no existing conversation is determined to exist that is relevant to the instant messenger event.

13. (Currently Amended) <u>The method of claim 1</u>, <u>A method of compiling an instant-messenger event, further comprising:</u>

identifying instant messenger activity involving a change in a user interface associated

with the [[an]] instant messenger application on a client device;

wherein the compiling of the event data comprises identifying an instant messenger event

[[,]] based at least in part on identifying the user interface change, -an instant messenger event
associated with an instant messenger message and having event data; and

compiling the instant messenger event from at least some of the event data.

- 14. (Currently Amended) The method of claim 13, wherein identifying instant messenger activity further comprises identifying instant messenger network activity.
- 15. (Original) The method of claim 14, wherein event data is also determined from the instant messenger network activity.
- 16. (Canceled)
- 17. (Original) The method of claim 13, wherein identifying instant messenger activity comprises determining that the instant messenger application is active.
- 18. (Currently Amended) The method of claim 13, wherein identifying the instant messenger event the compiling of the event data further comprises monitoring the instant messenger application for an ongoing period of time.
- 19. (Currently Amended) The method of claim 13, wherein identifying the instant messenger event the compiling of the event data further comprises analyzing a current state of the instant messenger application to identify the instant messenger event.
- 20. (Currently Amended) The method of claim 13, wherein identifying the instant messenger event the compiling of the event data further comprises identifying a display area associated with the instant messenger application and determining the content of the display area.
- 21. (Currently Amended) The method of claim 13, wherein identifying the instant messenger event the compiling of the event data further comprises one or more of monitoring operating system calls made by the instant messenger application to display text, hooking into the instant messenger application's notification application program interface, and directly querying the instant messenger application.

- 22. (Currently Amended) The method of claim 13, wherein identifying the instant messenger event the compiling of the event data further comprises extracting text from a display area associated with the instant messenger application.
- (Currently Amended) The method of claim 13, wherein identifying the instant messenger
  event the compiling of the event data further is performed upon the sending or receipt of an
  instant messenger message.
- (Currently Amended) The method of claim 13, wherein identifying the instant messenger event the compiling of the event data further is performed after a period of time.
- 25. (Currently Amended) The method of claim 24 [[13]], wherein the period of time is predetermined.
- (Currently Amended) The method of claim <u>24</u> [[13]], wherein the period of time is a
  period of inactivity on the instant messenger application.
- (Original) The method of claim 13, further comprising associating the instant messenger event with a conversation.
- 28. (Original) The method of claim 13, wherein event data comprises one or more of sender data, recipient data, a time associated with the event, a date associated with the event, and content from the instant messenger message associated with the event.
- 29. (Original) The method of claim 13, wherein event data comprises a conversation ID.
- 30. (Original) The method of claim 27, wherein associating the instant messenger event with a conversation comprises:

determining if an existing conversation relevant to the instant messenger event exists; associating the instant messenger event with an existing conversation if the existing conversation is determined to be relevant to the instant messenger event; and

associating the instant messenger event with a new conversation if no existing conversation is determined to exist that is relevant to the instant messenger event.

31. (Original) The method of claim 30, wherein determining if an existing conversation

exists is based at least in part on participants in the message and a time the message was received or sent.

- 32. (Original) The method of claim 30, further comprising determining a title associated with the conversation
- 33. (Currently Amended) A computer-readable storage medium for processing instant messenger events, the computer-readable storage medium containing executable program code, comprising:

program code for <u>determining a length of time of inactivity of a user after which to</u>
compile an instant messenger event associated with the user, the <u>determined length of time being</u>
specific to an identity of the user, identifying, based at least in part on analyzing a current state
of an instant messenger application, an instant messenger event associated with an instant
messenger message and having event data;

program code for capturing, responsive at least in part to expiration of the determined length of time, an [[the]] instant messenger event associated with the user by compiling event data associated with at least one [[the]] instant messenger message; and

program code for indexing at least some of the event data associated with the instant messenger message event.

34. (Currently Amended) The computer-readable <u>storage</u> medium of claim 33, further comprising:

program code for associating the instant messenger event with a conversation; program code for receiving a search query; and program code for identifying the conversation as relevant to the search query.

- 35. (Currently Amended) The computer-readable <u>storage</u> medium of claim 33, wherein the event data comprises one or more of sender data, recipient data, a time associated with the event, a date associated with the event, and content from the instant messenger message.
- 36. (Currently Amended) The computer-readable <u>storage</u> medium of claim 35, wherein program code for indexing at least some of the event data comprises associating an event ID with the event and associating the event ID with at least some of the event data.

- (Currently Amended) The computer-readable <u>storage</u> medium of claim, wherein the instant messenger event is captured on a client device.
- 38. (Currently Amended) The computer-readable <u>storage</u> medium of claim 33, wherein the instant messenger event is captured on a network device.
- 39. (Currently Amended) The computer-readable <u>storage</u> medium of claim 33, wherein capturing an instant messenger event comprises:

program code for identifying an activity associated with an instant messenger application on a client device:

program code for identifying the instant messenger event based on the activity; and program code for compiling the instant messenger event from at least some of the event data.

- 40. (Currently Amended) The computer-readable <u>storage</u> medium of claim 39, wherein compiling the instant messenger event is performed upon the sending or receipt of the instant messenger message using the instant messaging application.
- 41. (Currently Amended) The computer-readable <u>storage</u> medium of claim 39, wherein compiling the instant messenger event is performed after a period of time.
- (Currently Amended) The computer-readable <u>storage</u> medium of claim 41, wherein the period of time is predetermined.
- 43. (Currently Amended) The computer-readable <u>storage</u> medium of claim 41, wherein the period of time is a period of inactivity on the instant messenger application.
- 44. (Currently Amended) The computer-readable <u>storage</u> medium of claim 34, further comprising:

program code for determining if an existing conversation relevant to the instant messenger event exists:

program code for associating the instant messenger event with an existing conversation if the existing conversation is determined to be relevant to the instant messenger event; and program code for associating the instant messenger event with a new conversation if no existing conversation is determined to exist that is relevant to the instant messenger event.

45. (Currently Amended) <u>The [[A]]</u> computer-readable storage medium <u>of claim 33</u>, the <u>executable program code further for compiling an instant messenger event, the computer-readable storage medium containing executable program code</u>, comprising:

program code for identifying instant messenger activity involving a change in a user interface associated with the [[an]] instant messenger application on a client device;

wherein the compiling of the event data comprises program code for identifying an instant messenger event [[,]] based at least in part on extracting text from a display area associated with the instant messenger application. The instant messenger event associated with an instant messenger message and having event data; and

program-code-for-compiling-the-instant-messenger-event-from-at-least-some of the event-data-

- (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein program code for identifying instant messenger activity further comprises identifying instant messenger network activity.
- (Currently Amended) The computer-readable <u>storage</u> medium of claim 46, wherein event data is also determined from the instant messenger network activity.
- 48. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein program code for identifying instant messenger activity comprises identifying a user interface change associated with an instant messenger application.
- 49. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein program code for identifying instant messenger activity comprises determining that the instant messenger application is active.
- 50. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein program code for identifying the instant messenger event the compiling of the event data comprises monitoring the instant messenger application for an ongoing period of time.
- 51. (Currently Amended) The computer-readable storage medium of claim 45, wherein

program code for identifying the instant messenger event the compiling of the event data further comprises analyzing a current state of the instant messenger application to identify the instant messenger event.

- 52. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein program code for identifying the instant messenger event the compiling of the event data further comprises identifying a display area associated with the instant messenger application and determining the content of the display area.
- 53. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein program code for identifying the instant messenger event the compiling of the event data further comprises one or more of monitoring operating system calls made by the instant messenger application to display text, hooking into the instant messenger application's notification application program interface, and directly querying the instant messenger application.
- (Canceled)
- 55. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein compiling the instant messenger event is performed upon the sending or receipt of an instant messenger message.
- 56. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein compiling the instant messenger event is performed after a period of time.
- 57. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein the period of time is predetermined.
- 58. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein the period of time is a period of inactivity on the instant messenger application.
- (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, further comprising program code for associating the instant messenger event with a conversation.
- (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein event data comprises one or more of sender data, recipient data, a time associated with the event,

- a date associated with the event, and content from the instant messenger message associated with the event.
- 61. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein event data comprises a conversation ID.
- 62. (Currently Amended) The computer-readable <u>storage</u> medium of claim 59, wherein associating the instant messenger event with a conversation comprises:

program code for determining if an existing conversation relevant to the instant messenger event exists;

program code for associating the instant messenger event with an existing conversation if the existing conversation is determined to be relevant to the instant messenger event; and program code for associating the instant messenger event with a new conversation if no

63. (Currently Amended) The computer-readable <u>storage</u> medium of claim 62, wherein determining if an existing conversation exists is based at least in part on participants in the message and a time the message was received or sent.

existing conversation is determined to exist that is relevant to the instant messenger event.

- 64. (Currently Amended) The computer-readable <u>storage</u> medium of claim 62, further comprising program code for determining a title associated with the conversation.
- 65. (Previously Presented) A method of processing instant messenger events, comprising: determining a predefined period of instant messenger inactivity after which to compile an instant messenger event;

monitoring the instant messenger application to determine event data associated with an instant messenger message;

responsive at least in part to expiration of the determined period of inactivity, compiling an instant messenger event from at least some of the event data;

determining if an existing conversation relevant to the instant messenger event exists; associating the instant messenger event with an existing conversation if the existing conversation is determined to be relevant to the instant messenger event; and associating the instant messenger event with a new conversation if no existing

conversation is determined to exist that is relevant to the instant messenger event; and indexing and storing the instant messenger event.

- 66. (Currently Amended) The computer-readable <u>storage</u> medium of claim 45, wherein the extraction of the text from the display area comprises performing optical character recognition on an image.
- 67. (Previously Presented) The method of claim 13, further comprising identifying an instant messenger event at least in part by hooking into the instant messenger application's notification application program interface.